

ZPAL ATOMIZER

USER MANUAL



ARCTIC

Pyrexus

Helios



Specifications

Coil	0.2, 0.5 ohm (Dual Vertical) 1. 0 ohm (Single coil)
Wattage	35-45 watts(0. 5ohm) 25-35 watts(1. 0ohm) 45-55 watts(0.2ohm)
Airflow	Adjustable airhole
Material	304 Stainless Steel
Drip Tip	Wide Bore
Cotton	Organic
Glass Tube	Quartz glass
Connection	510 (stainless steel)

Dimensions

Model	Capacity	Diameter	Height	Weight
Helios	4.0 ml	22mm	76mm with drip tip	70g
Pyrexus	3.5 ml	22mm	72mm with drip tip	65g
ARCTIC	3.5 ml	22mm	72mm with drip tip	61g



Package Contents

1 x Tank

1 x Drip Tip

2 x DVC Coils (0.2, 0.5 or 1.0 ohm)

Filling E-liquid



With the mouthpiece downwards, unscrew by gripping the bottom collar (There is a vacuum seal when the tank has been in use, so unscrewing can feel a little resistant at first).

Don't dry burning without e-liquid. Drip a few of e-liquid in the atomizer head to soak organic cotton

Unscrew the top of your e-liquid bottle and aiming the nozzle into the side of the tank (Do not overfill the tank.)

Filling E-liquid

④

When done, carefully line up the screw threads and replace the base of the tank screwing all the way back together to create a proper seal.


⑤

With tissue, wipe away any liquid spillages or residues and wash/dry hands thoroughly.

⑥

Wait at least 3 minutes for e-liquid to settle and absorb into wicking. Attach to compatible mod.

Dismantle



Dismantle

1. First remove your tank from attached mod.
2. Carefully unscrew the base piece ensuring no pressure is applied to the glass tank during this process.
3. The glass can now be removed, this piece is a press fit so grip firmly and twist to remove. If you're struggling to get a firm grip a rubber band can come in handy.
4. At this point the drip tip can be removed from the top piece, this is really easy to do simply pull and it should come out. Be careful as it is held in place with a rubber o-ring which should be checked to ensure a tight fit between the top piece and drip tip installed.
5. The atomizer can now be removed, be careful if the unit has been used recently as there may still be some e-liquid left on this part!

Warranty

90 days (This warranty voids if this product is installed improperly or in an improper environment, overloaded, misused, opened, abused, or altered in any manner, or is not used under normal operating conditions or not in accordance with any label or instruction).

Important Safety Information

Sub-ohm vaping is intended for advanced vapers only! Sub-ohm vaping can be potentially dangerous, and is not meant for those who are inexperienced with it. When you are using a fresh sub-ohm coil, make sure that you first saturate the coil with e-liquid before started to use it. If you do not take this step, the coil can burn or even catch on fire.



www.zpaltech.com



Designed and manufactured
by ZPAL Technology

WARNING



1. When using a new atomizer, let the tank stand for 2 minutes, so the cotton can be saturated with juice before firing.
2. This product is not intended for use by persons under 18-year-old, women who are pregnant or breastfeeding, or persons with or at risk of heart disease, high blood pressure, diabetes, or taking medicine for depression or asthma. Our products do not treat, diagnose, or cure any disease, physical ailment, or condition.
3. Do not let the tank become completely empty. Refill the tank to avoid dry burning or damage to the atomizer.